



Pneumatools

PROFESJONALNE ROZWIĄZANIA NA MIARĘ POTRZEB



534 416 937

www.pneumatools.pl



info@pneumatools.pl

A STRONG BRAND LISTENS TO ITS CUSTOMERS

When we develop products such as our new, extremely small and handy air impact wrench NC-4610, m7 customers are our main driving force and focus. By building trust and excellent communication channels with our partners, distributors and channel customers, we very quickly get to understand what it is that they are looking and what motivates their choice of air tools.

As a designer, manufacturer and distributor of tools, we are just as committed to bringing the most reliable, efficient, ergonomic tools to the market as we are to fulfilling our promise of excellent service and support to our clients.

m7'S SUCCESS IS A TEAM EFFORT!

m7 as it is affectionately called by thousands of users world-wide, is much more than just a good manufacturer of air tools. In fact, m7 provides a total brand solution for its air tool partners and consumers. m7's team is composed of a strong network of International air tool experts and an enthusiastic team of engineers, designers, marketeers and administration personnel.

AIR HAMMER

**PNEUMATIC
TOOLS**
GLOBAL EXPANSION



**SC-211C
SC-221C**



**SC-212C
SC-222C**



**SC-331C
SC-332C**

Lower Vibration



**SC-341C
SC-342C**

Lower Vibration



SC-005



SC-07C[Set]



Item No.	Shank	Contents
SC-0517C	Round Shank	SC-211C
SC-0527C	Round Shank	SC-212C
SC-0617C	Hex Shank	SC-221C
SC-0627C	Hex Shank	SC-222C

	Shank	Chuck Size inch(mm)	Stroke Length mm	Bolw Per Minute bpm	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Net Weight LBS kg	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s²
	● ● ●			bpm							
SC-211C	●	0.401(10.2)	67	3200	4.0(113)	90(6.3)	6-7/8"(175)	3.7 1.7	3/8"	98.0	12.3
SC-221C	●	0.393(10)	67	3200	4.0(113)	90(6.3)	6-7/8"(175)	3.7 1.7	3/8"	98.0	12.3
SC-212C	●	0.401(10.2)	89	2200	4.0(113)	90(6.3)	8-7/8"(225)	4.4 2.0	3/8"	94.7	13.2
SC-222C	●	0.393(10)	89	2200	4.0(113)	90(6.3)	8-7/8"(225)	4.4 2.0	3/8"	94.7	13.2
SC-331	●	0.401(10.2)	71	3000	7.8(113)	90(6.3)	7-31/64"(190)	3.7 1.70	3/8"	92.0	9.5
SC-332	●	0.401(10.2)	92	2200	8.2(232)	90(6.3)	8-63/64"(228)	4.4 2.00	3/8"	94.0	10.6
SC-341	●	0.401(10.2)	71	3000	4.0(113)	90(6.3)	8-7/8"(190)	4.4 2.0	3/8"	94.7	9.5
SC-342	●	0.393(10)	92	3000	4.0(113)	90(6.3)	8-7/8"(228)	4.4 2.0	3/8"	94.7	10.6



SN-1032




SN-3111C/3112C/3113C/3114C
SN-3121C/3122C/3123C/3124C



SN-3212C/3213C/3214C
SN-3222C/3223C/3224C



● SN-9101/9103 Chisel For SN-31/SC-32 SERIES
◆ SN-9201/9203



SC-4 Chisel Set



SC-2A
Retainer



SC-2B
Quick Change Retainer

Shank	Chuck Size inch(mm)	Stroke Length mm	Bolw Per Minute bpm	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Net Weight LBS kg	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
● ○ □			bpm							
SN-1032	0.51(13)	33	4000	4.23(120)	90(6.3)	11-1/2"(290)	2.9 1.33	3/8"	91.0	14.5

Shank	Chuck Size inch(mm)	Stroke Length mm	Bolw Per Minute bpm	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Net Weight LBS kg	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
● ○ □			bpm							
SN-3111	0.68(17.2)	75	2500	10.0(283)	90(6.3)	15-1/2"(395)	15.4 7.0	1/2"	115.3	8.0
SN-3121	0.58(14.8)	75	2500	10.0(283)	90(6.3)	15-1/2"(395)	15.4 7.0	1/2"	115.3	8.0
SN-3112	0.68(17.2)	90	2300	20.0(566)	90(6.3)	16"(405)	16.1 7.3	1/2"	114.3	9.4
SN-3122	0.58(14.8)	90	2300	20.0(566)	90(6.3)	16"(405)	16.1 7.3	1/2"	114.3	9.4
SN-3113	0.68(17.2)	127	2000	22.0(622.6)	90(6.3)	17-3/4"(450)	17.6 8.0	1/2"	113.3	4.8
SN-3123	0.58(14.8)	127	2000	22.0(622.6)	90(6.3)	17-3/4"(450)	17.6 8.0	1/2"	113.3	4.8
SN-3114	0.68(17.2)	154	1600	24.0(679.2)	90(6.3)	18-1/2"(470)	18.3 8.3	1/2"	114.1	6.2
SN-3124	0.58(14.8)	154	1600	24.0(679.2)	90(6.3)	18-1/2"(470)	18.3 8.3	1/2"	114.1	6.2
SN-3212	0.68(17.2)	78	2300	5.0(141.5)	90(6.3)	14-5/8"(373)	17.2 7.8	1/2"	114.3	9.4
SN-3222	0.58(14.8)	78	2300	5.0(141.5)	90(6.3)	14-5/8"(373)	17.2 7.8	1/2"	114.3	9.4
SN-3213	0.68(17.2)	119	1900	5.6(158.5)	90(6.3)	16-1/2"(419)	18.7 8.5	1/2"	113.3	4.8
SN-3223	0.58(14.8)	119	1900	5.6(158.5)	90(6.3)	16-1/2"(419)	18.7 8.5	1/2"	113.3	4.8
SN-3214	0.68(17.2)	142	1700	5.9(167.0)	90(6.3)	17-1/2"(445)	19.4 8.8	1/2"	114.1	6.2
SN-3224	0.58(14.8)	142	1700	5.9(167.0)	90(6.3)	17-1/2"(445)	19.4 8.8	1/2"	114.1	6.2